

**FRM-007**Indice **D**Page **1 / 5**

# CUVE

Fiche machine n°

**2642**Version : **1.1**

## **Cuve de stockage eau chaude 3100 litres calorifugée**

Fabricant : Charot (Fr)

Capacité : 3100 Litres

Pression de service : 4 Bar

Type : 3015. Numéro de série : 980772 - 1/2

Année de construction : 2010

Matériaux : Acier carbone

Calorifugeage épaisseur 40mm. Protection ISOXAL

Implantation verticale

2 ports entrée et 2 ports sortie DN 150 avec Vannes papillon EPDM manuelles

Raccordement : sur bride DN 100 PN16

Vidange et soupape de sécurité sur port 1" 1/2.

Dimensions hors-tout : Dia 1330 x Hr 3300 mm

## ***3100 liters tank, insulated, for hot water storage***

*Manufacturer: Charot (Fr)*

*Volume: 3100 liters*

*Working pressure: 4 bar*

*Type: 3015 / Serial number: 980772 – 1/2*

*Year: 2010*

*Material: carbon steel*

*Insulation thickness: 40mm / Isoxal protection*

*2 input connections and 2 output connections : ND 150, with EPDM manual butterfly valves*

*Draining and safety valve on 1" ½ port*

*Overall dimensions: diameter 1330 mm x height 3300 mm*

# CUVE







# CUVE

