

**FRM-007**Indice **D**Page **1 / 4**

# Cuve agitée

Fiche machine n°

**4309**Version : **2.0**

## Cuve agitée 1600 litres

Fabricant : Pierre Guérin

Modèle : 1620L

Année : 1981

s/n : B1000174

Simple enveloppe

Matière : inox 304H

Volume utile : 1600 litres

Agitateur tripale avec moteur LEROY SOMER CB 2302, 145min<sup>-1</sup>

2 détecteurs de niveau ENDRESS-HAUSER FTL51

1 détecteur de niveau ENDRESS-HAUSER FTL360

Boule de lavage

Fond conique 15° équipé d'un piquage Ø50mm avec corps de vanne GEMÜ et connexion NA connect Ø25mm

Plaque support passerelle

3 pieds support

Trou d'homme ovale 440x300mm

Dimensions hors tout (Øxh) : 1100x3330mm

Hauteur support par rapport au sol : 2000mm

Vendue EXW

## 1600 liters tank with agitation

*Manufacturer: Pierre Guérin**Model: 1620L**Year: 1981**s/n: B1000174**Simple jacket**Material: 304H stainless steel**Working volume: 1600 liters**Three-bladed stirrer with LEROY SOMER CB2302, 145min<sup>-1</sup>**2 ENDRESS-HAUSER FTL51 level detector**1 ENDRESS-HAUSER FTL360 level detector**Washing nozzle**15° conical bottom equipped of one connection Ø50mm with GEMÜ valve body and NA**Connect connection Ø25mm**Gateway support plate**3 support feet**Oval manhole: 440x330mm**Overall dimensions (Øxh): 1100x3330mm**Support height in comparison with the ground: 2000mm**Sold EXW*

Ingecentre SAS

160 rue du Chêne de la Croix – 45520 GIDY - France

Téléphone : +33 2 38 76 92 55

# Cuve agitée



## Cuve agitée





## **Cuve agitée**

