

 <b>FRM-007</b> Indice D Page 1 / 5	<h1>Skid de production eau purifiée</h1>	Fiche machine n°
		<b>4704</b>
		Version : 2.0

## Skid de production eau purifiée

Fabricant : Ovivo

Année : 2013

Capacité de production : 0,25m3/h de perméat (sur 16 heures de fonctionnement par jour)

Documentation technique disponible

L'installation comprend :

- Une analyse de dureté.
- Une déchloration sur filtre charbon actif 5µm.
- Une injection de soude garantissant le bon fonctionnement de l'osmose inverse.
- Une filtration 1µm
- Une mesure de pH
- Un système d'osmose inverse composé de deux tubes haute pression et d'un réseau de recirculation du concentrat.
- Une analyse de conductivité à la sortie de chaque tube d'osmose inverse.

Station eau purifiée d'occasion testée et fonctionnelle

Vendue EXW

## Purified water production skid

Manufacturer: Ovivo

Year: 2013

Production capacity: 0,25m3/h of permeate (based on 16 h running time/day)

Technical documentation available

Includes:

- Hardness analysis
- Dechlorination (5µm active carbon filter)
- Sodium injection, for correct functioning of the reverse osmosis device
- 1µm filtration
- pH measurement
- Reverse osmosis (2 high pressure tubes + recirculation net)
- Conductivity analysis, on each reverse osmosis' tube

Second-hand purified water station tested and functional

Sold EXW


# Skid de production eau purifiée



# Skid de production eau purifiée



# Skid de production eau purifiée



# **Skid de production eau purifiée**

