

	FRM-007	Encaisseuse	Fiche machine n°
	Indice D		4744
	Page 1 / 19		Version : 2.0

Encaisseuse

Fabricant : CAM

Modèle : SMV S

Année : 2007

Numéro de série : 1574 1CX 775.02

Type : encaisseuse verticale, à scotch (voir détails sur le pdf joint)

Utilisation : mettre des pots ou des flacons dans une caisse

Note : en option, possibilité d'intégrer un système d'encollage

Le remplissage des caisses est effectué par le haut par un robot type pick-and-place

Cadence : min 1 cycle par minute / max 12 cycles par minute

Plage de formats étuis/flacons/pots :

Min : 20 x 12 x 50 mm

Max : 590 x 200 x 390 mm

Plage de formats caisses :

Min : 200 x 120 x 105 mm

Max : 595 x 395 x 395 mm

Automate S7-300 SIEMENS

Préhenseur 6 ventouses pour caisse 170x200

Préhenseur 12 ventouses pour caisse 210x280

Préhenseur 18 ventouses pour caisse 210x320

Dimensions hors tout (Lxlxh) : 3082x2500x2042mm

Poids : environ 2.500 kg

Consommation air : 500 Nl/min à 5-6 bars

Besoins électriques : 400V, 50Hz, 7A

Puissance : 8kW (+ 3.5kW avec encolleur)

Quelques pièces détachées disponibles (voir photos)

Incoterm : EXW

Case packer

Manufacturer: CAM

Ingecentre SAS

160 rue du Chêne de la Croix – 45520 GIDY - France

Téléphone : +33 2 38 76 92 55

	FRM-007	Encaisseuse	Fiche machine n°
	Indice D		4744
	Page 2 / 19		Version : 2.0

Model: SMV S

Year: 2007

Serial number: 1574 1CX 775.02

Type: vertical case packer, tape-sealing (see details on the pdf attached)

Use: putting pots or vials in cases

Note: in option, possibility to integrate a glueing system

The filling of the cases with cartons is realized by a pick-and-place robot

Speed: min 1 cycle per minute / max 12 cycles per minute

Cartons/vials/pots' format range:

Min : 20 x 12 x 50 mm

Max : 590 x 200 x 390 mm

Cases' format range:

Min : 200 x 120 x 105 mm

Max : 595 x 395 x 395 mm

SIEMENS S7-300 PLC

6 suction cups' gripper, for 170 x 200 case

12 suction cups' gripper, for 210 x 280 case

18 suction cups' gripper for 210 x 320 case

Overall dimensions (LxWxH): 3082x2500x2042mm

Weight: approx. 2.500 kg

Air consumption: 500 Nl/min at 5-6 bar

Electrical supply: 400V, 50Hz, 7A

Power: 8kW (+3.5kW if glueing system)

A few spare parts available (see pictures)

Incoterm: EXW

































