

Cuve inox 150 litres

Fabricant : Bionaz

Volume utile : 150 litres

Volume réel : 168 litres

Année : 2002

Matière : inox 316 L

Fond et dôme GRC diamètre extérieur 550 mm épaisseur 3 mm

Vanne de fond de cuve SMS Novaseptic NA25

Pression de service : 1,5 bar

Pression d'épreuve : 2,4 bar

Boule de lavage débit 2m³/h à 2 bars

Stérilisable

Finition intérieure : électro-poli Ra<0,4µm

Finition extérieure : satiné

Conforme normes CE

Mobile : on wheels

Poignées de manutention

Couvercle ouvrant

Documentation technique : plan détaillé

Dimensions hors-tout (l x p x h) : 600 x 580 x 1250 mm

Poids : 40 kg

Incoterm : FCA

150 liters stainless steel tank

Manufacturer: Bionaz

Ingecentre SAS

160 rue du Chêne de la Croix – 45520 GIDY - France

Téléphone : +33 2 38 76 92 55

Cuve Inox

Total volume: 150 liters

Real volume: 168 liters

Year: 2002

Material: 316L stainless steel

GRC bottom and top, external diameter 550 mm, thickness 3 mm

SMS Novaseptic NA25 tank bottom's valve

Working pressure: 1,5 bar

Test pressure: 2,4 bar

Washing nozzle, flow 2m³/h at 2 bars

Sterilizable

Internal finishing: electro-polished Ra<0,4µm

External finishing: satin

EC standards compliant

Mobile: on wheels

Carrying handles

Openable lid

Technical documentation: detailed plan

Overall dimensions (l x d x h): 600 x 580 x 1250 mm

Weight: 40 kg

Incoterm: FCA

Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox



Cuve Inox

