

	Fiche machine n°	<b>Thermoformeuse</b>	<b>FRM-007</b>
	<b>4793</b>		
	Indice B		<b>Page 1 / 14</b>

## **Thermoformeuse**

Fabricant : Famar

Modèle : RM150

Année : 1988

Numéro de série : 1698

Pour comprimés, dragées, gélules dures ou molles, ampoules ...

Matière film : alu, papier, PVC ...

Cadence : jusqu'à 100 blisters/minute

Largeur maximum bobine : 140 mm

Diamètre maximum bobine matière thermoformable : 400 mm

Diamètre maximum bobine matière de revêtement : 200 mm

Profondeur maximum de moulage : 15 mm

Ecartement : de 50 à 150 mm

Puissance absorbée : 9 kW

Alimentation : 380 V + terre / 50 Hz

Consommation air comprimé : 200 l/mn

Dimensions hors-tout (l x p x h) : 4460 x 1080 x 2260 mm

Poids : 2000 kg

Documentation technique : présente

Incoterm : EXW

## **Thermoformer**

*Manufacturer: Famar*

*Model: RM150*

*Year: 1988*

*Serial number: 1698*

*For tablets, dragees, soft or hard capsules, ampoules ...*

*Film's material: alu, paper, PVC...*

*Speed: up to 100 blisters/minute*

*Max reel's width: 140 mm*

*Max diameter of the thermoformable material's reel: 400 mm*

*Max diameter of the covering material's reel: 200 mm*

*Max forming depth: 15 mm*

*Spacing: from 50 to 150 mm*

*Absorbed power: 9 kW*

*Power supply: 380 V + ground / 50 Hz*

*Compressed air consumption: 200 l/mn*

*Overall dimensions (l x d x h): 4460 x 1080 x 2260 mm*

*Weight: 2000 kg*

*Technical documentation: available*

*Incoterm: EXW*

Ingecentre SAS

160 rue du Chêne de la Croix – 45520 GIDY - France


Téléphone : +33 2 38 76 92 55












# Thermoformeuse







# Thermoformeuse



# Thermoformeuse







