

	Fiche machine n°	<h1>Remplisseuse flacons</h1>	FRM-007
	<b>5642</b>		Indice A
	Indice E		Page 1 / 18

## Remplisseuse flacons

Fabricant : Stoppil

Modèle : EC 6060

Numéro de série : 1178

Année : 2001 - reconditionnée en 2018 (automate + 2 débitmètres massiques) et 2023

Caractéristiques :

- La machine est équipée de 6 débitmètres
- Le pilotage et la gestion des recettes sont réalisés via un écran tactile couleur 7''
- Cadence : jusqu'à 4000 bouteilles / heure

Utilisation :

- Pour le remplissage de contenants jusqu'à approx. 700 ml
- Machine évolutive de 2 à 10 têtes de remplissage
- Changement de format rapide et sans outillage

Applications : machine adaptable à tous les types de produits liquides et visqueux

- Alimentaires (sauces, sirops, huiles...)
- Chimiques, détergents (produits d'entretien, produits phytosanitaires...)
- Cosmétiques (shampooings, lotions, gels douche...)
- Pharmaceutiques (sirops, compléments alimentaires...)

Actuellement équipée avec :

- un système ramasse goutte en fin de remplissage.
- un système de monte et baisse pour les produits moussants course 220 mm (possibilité de bec long à clapet)

Hauteur des flacons réglable électriquement sur +/-300 mm

Capacité actuelle : mini 30 ml / maxi 700 ml entre les positions des capteurs de niveau mini

2 cuves tampon de 7 litres avec capteurs de niveau à lames avec un remplissage automatique

Système de nettoyage en place avec boule de lavage sur les cuves

Largeur de convoyeur actuel : 85 mm

Avec flux laminaire

Documentation technique + schémas électriques : présents

Dimensions hors-tout (l x p x h) : 3700 x 1500 x 2700 mm

Conforme normes CE

Incoterm: EXW

	Fiche machine n°	<h1>Remplisseuse flacons</h1>	FRM-007
	<b>5642</b>		Indice A
	Indice E		Page 2 / 18

## *Vial filler*

*Manufacturer: Stoppil*

*Model: EC 6060*

*Serial number: 1178*

*Year: 2001 - refurbished in 2018 (PLC + 2 mass flowmeters) and 2023*

*Features:*

- *Machine equipped with 6 flowmeters*
- *Controlling and recipes' monitoring via 7" color touchscreen*
- *Speed: up to 4000 bottles/hour*

*Use:*

- *Filling up to 700 ml bottles, pots, vials*
- *Possibility to work with 2 to 10 filling heads*
- *Format change: quick, without tooling*

*Applications: machine adaptable to any kind of liquid or viscous product*

- *Food products (sauces, syrups, oils ...)*
- *Chemical products, detergents (maintenance products, crop protection products ...)*
- *Cosmetic products (shampoo, lotions, shower gels ...)*
- *Pharmaceutical products (syrups, food supplements ...)*

*Equipped with:*

- *A drop-picking system in end of filling process*
- *An up-and-down system for foaming products, strike 220 mm (possibility of long beak with valve)*

*Height of vials adjustable electrically (+/- 300 mm)*

*Current capacity: min 30 mL / max 700 mL*

*Two 7 liters buffer tanks, with vibrating point level sensors and automatic filling system*

*Tanks equipped with cleaning in place (washing nozzles)*

*Current conveying width: 85 mm*

*With laminar flow*



*Technical documentation + electrical diagrams: available*

*Overall dimensions (l x d x h): 3700 x 1500 x 2700 mm*


*EC standards compliant*



*Incoterm: EXW*













**Ingenneo**  
used equipment

Fiche machine n°

**5642**

Indice E

## Remplisseuse flacons

FRM-007

Indice A

Page 8 /  
18





