

Remplisseuse poches

Fabricant : Plümat

Modèle : BFL 852

Année : 2009

Cadence max : 2200 poches/heure, avec des poches 100 ml

Remplissage et scellage

Format poches : 100 ml, 200 ml, 300 ml, tube simple (matière poches : PP)

Possibilité de passer formats 500, 1000 ml.

Dimensions standards poches : 135 x 220 mm

Pas de la machine : 140 mm

Précision de remplissage :

- 50 ml : +/- 2,0 %
- 100 ml : +/- 1,5 %
- 300 ml : +/- 1,0 %

Système de remplissage : 2 débitmètres massiques, avec vannes de remplissage électromagnétiques, contrôlé par microprocesseur

Ouverture : flip-off minitulupe (voir photo)

Parties en contact avec le produit : inox 316L

Pupitre tactile de commande

Dimensions hors-tout (l x p x h) : approx. 7500 x 2400 x 2040 mm

Poids : approx. 2400 kg

Incoterm : FCA

Pouch filler

Manufacturer: Plümat

Model: BFL 852

Year: 2009

Speed: 2200 pouches/hour, with 100 ml pouches

Filling and sealing

Pouches' format: 100 ml, 200 ml, 300 ml, simple tube (Pouches' material: PP)

Possible to treat pouches 500, 1000 ml.

Pace of the machine: 140 mm

Filling accuracy:

- *50 ml : +/- 2,0 %*
- *100 ml : +/- 1,5 %*
- *300 ml : +/- 1,0 %*

Filling system: 2 massflowmeter systems, with electromagnetic filling valves and microprocessor control unit

Opening: minitulupe flip-off (see picture)

Parts in contact with the product: 316L stainless steel

HMI: touch panel

Overall dimensions (l x d x h): approx. 7500 x 2400 x 2040 mm

Weight: approx. 2400 kg

Incoterm: FC















