



Fiche machine n°

6157

Indice B

Robot reneuteur de seringues

FRM-007

Page 1 /
19

Robot reneuteur de seringues

Fabricant : Bosch

Modèle : USM 2

Année : 2018

Numéro de série : 170634

Etait installé en aval d'une mireuse seringues

Cadence : 30 nests/minute (20 seringues par nest)

Format utilisé : seringues BD Hypak 0,5 ml

PLC : Siemens Simatic S7-1500

Alimentation : 3-ph 400 V + N + PE / 50 Hz / 5,1 A

Dimensions hors-tout (l x p x h) : 3360 x 3150 x 2280 mm

Poids : 2800 kg

Dimensions armoire (l x p x h) : 1200 x 800 x 2450 mm (poids 300 kg)

Documentation technique : disponible, détails sur demande

Conforme normes CE

Incoterm : EXW

Syringe re-trayer

Manufacturer: Bosch

Model: USM 2

Year: 2018

Serial number: 170634

Was installed after a syringe inspection machine

Speed: 30 trays/minute (20 syringes per nest)

Former format: BD Hypak 0,5 ml syringes

PLC: Siemens Simatic S7-1500

Power supply: 3-ph 400 V + N + PE / 50 Hz / 5,1 A

Overall dimensions (l x d x h): 3360 x 3150 x 2280 mm

Weight: 2800 kg


Cabinet's dimensions (l x d x h): 1200 x 800 x 2450 mm (weight 300 kg)

Technical documentation: available, details on request

EC standards' compliant


Incoterm: EXW











Robot reneateur de seringues



Robot renesteur de seringues



Robot renesteur de seringues



Robot renesteur de seringues













Robot renesteur de seringues









Fiche machine n°

6157

Indice B

Robot renesteur de seringues

FRM-007

Page 19 / 19



BOSCH

MOELLER & DEVICON A/S
A Bosch Packaging Technology Company
Elmevej 9
4262 Sandved
Made in Denmark

<u>DESIGNAT. OF MACHINERY</u>	<u>USM 2</u>
<u>SERIAL- NO.</u>	<u>170634</u>
<u>MANUF: YEAR</u>	<u>2018</u>
<u>MASS APPROX.</u>	<u>2.800 Kg.</u>
<u>SUPPLY VOLTAGE</u>	<u>3 x 400 VAC + N + PE 50Hz.</u>
<u>CAPACITY / AMPERAGE</u>	<u>5,1 A</u>
<u>CONTROL VOLTAGE</u>	<u>24 VDC</u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>

