

	Fiche machine n°	<h1>Autoclave</h1>	FRM-007
	6215		Indice A
	Indice A		Page 1 / 16

Autoclave

Fabricant : Certoclav

Modèle : CV-22-Vac-Pro

Année : 2021

Numéro de série : 230020485

Volume : 22 litres

Neuf

Dimensions chambre : diamètre 250 mm, profondeur 450 mm

Avec pompe à vide et générateur de vapeur

Température de stérilisation : entre 105 °C et 134 °C

Pour produits solides ou liquides

Ecran LCD + écran tactile mobile

Avec panier inox 170 x 140 x 380 mm

Documentation technique disponible + certificat de contrôle qualité du fournisseur et certificat de conformité CE

Préprogrammé pour 2 applications « Vacuum test » et « 134°C Porous »

Dimensions hors-tout (l x p x h) : 760 x 560 x 500 mm

Poids : 55 kg

Conforme normes CE

Incoterm : FCA

Autoclave

Manufacturer: Certoclav

Model: CV-22-Vac-Pro

Year: 2021

Serial number: 230020485

Volume: 22 liters

Condition: new

Chamber's dimensions: diameter 250 mm, depth 450 mm

With vacuum pump and steam generator

Sterilization temperature: between 105 °C and 134 °C

For liquid or solid products

LCD screen + mobile touch screen

With stainless steel basket 170 x 140 x 380 mm

Technical documentation available + quality control certificate from the supplier and EC certificate of conformity

Preset for 2 applications: "Vacuum test" and "134°C Porous"

Overall dimensions (l x d x h): 760 x 560 x 500 mm

Weight: 55 kg

EC standards' compliant

Incoterm: FCA





























Autoclave

