



Fiche machine n°

**5892**

Indice D

## **Cuve inox 6000 litres**

**FRM-007**

Page **1 / 4**

### **Cuve inox 6000 litres**

isolée/climatisée avec agitateur magnétique.

Cuve 5000 L capacité totale 6230 L

Fabricant : Pierre Guérin

Volume utile : 6230 litres

Année : 1999

Double-enveloppe

Agitation

Cuve :

Pression d'exploitation : + 2,5 bars vapeur (138°C)

Pression de service : + 2,5 bars vapeur

Pression d'épreuve : + 5 bars

Depression : vide absolu

Climatisation :

Pression de service : + 3 bars

Pression d'épreuve : + 4,5 bars

Surface d'échange :  $1.7+3=4.7$  m<sup>2</sup>

Capacité :  $47+52=99$  L

Incoterm : EXW

### **6000 liters stainless steel tank**

*Insulated/air-conditioned with magnetic stirrer.*

*5000 L tank, total capacity 6230 L*

*Manufacturer: Pierre Guérin*

*Useful volume: 6230 liters*

*Year: 1999*

*Double-jacketed*

*Agitating*

*Tank:*

*Operating pressure: + 2.5 bar steam (138°C)*

*Service pressure: + 2.5 bar steam*

*Test pressure: + 5 bar*

*Depression: absolute vacuum*

*Air conditioning:*

*Service pressure: + 3 bar*

*Test pressure: + 4.5 bar*

*Exchange surface area:  $1.7 + 3 = 4.7$  m<sup>2</sup>*

*Capacity:  $47 + 52 = 99$  L*

*Incoterm: EXW*





