

Cuve inox 6000 litres

isolée/climatisée avec agitateur magnétique.

Cuve 5000 L capacité totale 6230 L

Fabricant : Pierre Guérin

Volume utile : 6230 litres

Année : 1999

Double-enveloppe

Agitation

Cuve :

Pression d'exploitation : + 2,5 bars vapeur (138°C)

Pression de service : + 2,5 bars vapeur

Pression d'épreuve : + 5 bars

Depression : vide absolu

Climatisation :

Pression de service : + 3 bars

Pression d'épreuve : + 4,5 bars

Surface d'échange : $1.7+3=4.7$ m²

Capacité : $47+52=99$ L

Incoterm : EXW

6000 liters stainless steel tank

Insulated/air-conditioned with magnetic stirrer.

5000 L tank, total capacity 6230 L

Manufacturer: Pierre Guérin

Useful volume: 6230 liters

Year: 1999

Double-jacketed

Agitating

Tank:

Operating pressure: + 2.5 bar steam (138°C)

Service pressure: + 2.5 bar steam

Test pressure: + 5 bar

Depression: absolute vacuum

Air conditioning:

Service pressure: + 3 bar

Test pressure: + 4.5 bar

Exchange surface area: $1.7 + 3 = 4.7$ m²

Capacity: $47 + 52 = 99$ L

Incoterm: EXW

Cuve inox 6000 litres



Cuve inox 6000 litres

