

## Cuve inox 2500 litres

Fabricant : Prominox

Volume : 2500 litres

Année : 1994

Numéro de série : 28160

Pression de service : ATM

Pression d'épreuve : 0 bar

Température de service : 85 °C

Agitation :

- Type hélice quadripale
- Moteur et réducteur Bauer / ATEX / 1460 RPM / 5,5 kW

ATEX

Trou d'homme

Hublot DN200

Ensemble de lavage

Ensemble de vidange

Dimensions hors-tout (l x p x h) : 1840 x 1600 x 3900 mm

Diamètre : 1600 mm

Poids : 550 kg

Plan

Prestation de décapage possible

Incoterm : EXW

## **2500 liters stainless steel tank**

*Manufacturer: Prominox*

*Volume: 2500 liters*

*Year: 1994*

*Serial number: 28160*

*Working pressure: ATM*

*Test pressure: 0 bar*

*Working temperature: 85 °C*

*Agitation:*

- *4 blades propeller*
- *Motor + gear motor: Bauer / ATEX / 1460 RPM / 5,5 kW*

*ATEX*

*Manhole*

*DN200 sightglass*

*Cleaning system*

*Draining system*

*Overall dimensions (l x d x h): 1840 x 1600 x 3900 mm*

*Diameter: 1600 mm*

*Weight: 550 kg*

*Plan*

*Stripping service available*

*Incoterm: EXW*

# CUVE INOX 2500 LITRES



# CUVE INOX 2500 LITRES



# CUVE INOX 2500 LITRES



# CUVE INOX 2500 LITRES





# CUVE INOX 2500 LITRES





