

## Remplisseuse tubes

Fabricant : AXOMATIC

Modèle : Optima 800

Année : 2009

État NEUF

Utilisation : remplir et fermer des tubes alu (pvc avec modifications)

Cadence : 60 pièces/minute

Plage de dosage : de 3 à 250 ml (possible 450 ml avec adaptation)

Format tube :

- Diamètre de 13,5 à 50 mm (possible 60 mm avec adaptation)
- Hauteur de 70 à 250 mm

Format installé : godets pour tubes diamètre 17 mm

Nombre de stations : 8

Magasin tube

Trémie produit double-enveloppe

Automate : Omron CPM2A,

Afficheur : Omron NT11

Alimentation : 400 V 3-ph / 50 Hz / 25 A

Conforme normes CE

Documentation technique : disponible, détails sur demande

Dimensions hors-tout (l x p x h) : 2300 x 1100 x 2500 mm

## **Tube filler**

*Tube filling machine*

*Manufacturer: AXOMATIC*

*Model: Optima 800*

*Year: 2009*

*Condition: BRAND NEW*

*Application: filling and sealing aluminium tubes (PVC with modifications)*

*Output: 60 units/minute*

*Filling range: 3 to 250 ml (up to 450 ml with adaptation)*

*Tube format:*

- *Diameter from 13.5 to 50 mm (60 mm possible with adaptation)*
- *Height from 70 to 250 mm*

*Installed format: cups for 17 mm diameter tubes*

*Number of stations: 8*

*Tube magazine*

*Double-walled product hopper*

*PLC: Omron CPM2A,*

*Display: Omron NT11*

*Power supply: 400 V 3-phase / 50 Hz / 25 A*

*Complies with CE standards*

*Technical documentation: available, details on request*

*Overall dimensions (W x D x H): 2300 x 1100 x 2500 mm*



# REMP LISSEUSE TUBES









