

Ensacheuse Flowpack

Bagging machine

Ensacheuse Flowpack

Fabricant : SiG

Modèle : HSL

Numéro de série : V-405-HSL-005

Année : 1998 (reconditionnée en 2005)

Alimentation : 3 x 400 V / 50 Hz, 23 A ; Air comprimé : 4 - 6 bars.

Capacité : *Format produit magasin 1 et 2 : blister 105x50 (L x l)*

Réglage possible magasin 1 et 2 : Long max = 165. Larg max = 130mm

Format produit 3 : capsule Ø 40, épaisseur 5mm.

Cadence : 150 flowpacks/minute

Formats : présent, détails sur demande

Marquage : Videojet DataFlex 6530

Dimensions hors-tout (l x p x h): 7767 x 1866 x 2140 mm environ

(+ goulotte d'alim « girafe » H=2390).

Magasin blister

Automate : Siemens Simatic S5

Documentation technique : complète (instructions de service, catalogue pièces de rechange, documentation électrique et automate, instructions de changement de format ...)

Poids : 2400 kg

Lot de pièces détachées

Conforme normes CE

Incoterm : FCA

Ensacheuse Flowpack

Bagging machine

Bagging machine Flowpack

Manufacturer: SiG

Model: HSL

Serial number: V-405-HSL-005

Year: 1998 (refurbished in 2005)

Power: 3 x 400 V / 50 Hz, 23 A; Compressed air: 4 - 6 bars.

Capacity: 1 or 2 unit/blisters 105x50 (L x l)

Max. Length = 165 mm. / Max. width = 130mm

Desiccant bag Ø 40, Thickness = 5mm.

Speed: 150 flowpacks/minute

Formats: available, details on request

Printing: Videojet DataFlex 6530 system

Dimensions (L x w x h): 7767 x 1866 x 2140 mm approximately (h. max.=2390)

Blister feeding unit

PLC: Siemens Simatic S5

Technical documentation: complete (user manual, spare parts, PLC and electric documentation, instructions for format change ...)

Weight: 2400 kg

Lot of spare parts

EC standards' compliant

Incoterm: FCA

Ensacheuse Flowpack

Bagging machine



Ensacheuse Flowpack

Bagging machine



Ensacheuse Flowpack

Bagging machine



Ensacheuse Flowpack *Bagging machine*



Ensacheuse Flowpack *Bagging machine*



Ensacheuse Flowpack

Bagging machine



Ensacheuse Flowpack

Bagging machine



Ensacheuse Flowpack *Bagging machine*

