

Etuyeuse (Encartonneuse)

Descriptif : Machine automatique industrielle de mise en étui carton, distribution notice de type rota notice. Pour industries pharmaceutique, cosmétique ou autre (caractéristiques détaillées sur demande).

Fabricant : UHLMANN

Modèle : C 2205

Numéro de série : 226

Année : 1999

Alimentation : 3 x 400 V / 50 Hz, 4 kW ; Air comprimé : 6 – 8 bars, 2 - 10 Nm³/h.

Capacité étuis : *Min 30 x 15 x 63mm (A x B x H)*

Max 100 x 90 x 150mm

Cadence : de 50 à max. 200 étuis / min.

Format : présent, détails sur demande

Dimensions hors-tout (l x p x h): 4200 x 1750 x 1900 mm environ.

Poids : 4000 kg environ.

Marquage : non

Pièces détachées : non

Documentation technique : disponible, détails sur demande

Conformité : Conforme normes CE

Incoterm: FCA

Cartoner

Description: Automatic machine for cartoning products, for the pharmaceutical, cosmetic or others industries, with Leaflet feeder type rota notice.

Manufacturer: UHLMANN

Model: C 2205

Serial number: 226

Year: 1999

Power supply: 3 x 400 V / 50 Hz, 4 kW; Compressed air: 6 - 8 bars (max. 115 psi.)

Capacity: Min. 30 x 15 x 63mm (A x B x H)

Max. 100 x 90 x 150mm.

Speed: 50 to max. 200 cartons / min.

Formats: available, details on request

Dimensions (L x w x h): 4200 x 1750 x 1900 mm approximately.

Weight: 4000 kg

Printing: no

Spare parts: no

Technical documentation: available, details on request


Conformity: EC standards' compliant

Incoterm: FCA


Etuyeuse Cartoner



Etuyeuse Cartoner



Etuyeuse Cartoner

Uhlmann Pac-Systeme Uhlmannstr. 14-18 D-88471 Laupheim/Germany Tel.07392/702-0		 Uhlmann Pac-Systeme	
Typ Type	C 2205	Masch. Nr. Mach. No.	226
Baujahr Année	1999		
Nennspannung Tension nominale	3/N/PE.AC 400V. 50Hz		
Nennstrom Courant nominal	6 A	Vorsicherung Fusible de sécurité	20 A

**N° inventaire
9112**

Etuyeuse Cartoner



Etuyeuse Cartoner



Etuyeuse Cartoner



Etuyeuse Cartoner

