

## Etuyeuse

Fabricant : Tinarelli

Modèle : TVR 60 A

Année : 2015

Type : verticale

Pour flacons / pots ou autre, via manipulateur de chargement

Cadence max : 32 CPM

Plage de formats étuis :

- A : de 44 à 120 mm
- B : de 30 à 100 mm
- C : de 70 à 180 mm
- A + B MAX 200

10 formats pré-réglés (voir photos pour détail)

Automate : Omron Sysmac

Conforme normes CE

Documentation technique : disponible, détails sur demande

Etuyeuse comprenant :

- Un poste de chargement des étuis à plat
- Un poste de chargement des cales (optionnel)
- Un poste dégodiseur flacon/godet (sans convoyeur à godets)
- Un poste « opérateur »
- Un poste de sortie étui plein avec retourneur

Incoterm : FCA

## **Cartoner**

*Manufacturer: Tinarelli*

*Model: TVR 60 A*

*Year: 2015*

*Type: vertical*

*For vials / pots or others, with loading handler*

*Max speed: 32 CPM*

*Carton's format range:*

- *A : 44 to 120 mm*
- *B : 30 to 100 mm*
- *C : 70 to 180 mm*
- *A + B MAX 200*

*10 formats pre-adjusted (see pictures for detail)*

*PLC: Omron Sysmac*

*EC standards' compliant*

*Technical documentation: available, details on request*

*Cartoner including:*


- *A station for the loading of flat cartons*
- *A station for the loading of chocks (optional)*
- *A vial unloader vial/cup (without cups' conveyor)*
- *An "operator" station*
- *A "full carton's outfeed" station with unscrambler*

*Incoterm: FCA*

# ETUYEUSE



# ETUYEUSE



# ETUYEUSE















# ETUYEUSE



# ETUYEUSE



# ETUYEUSE

