



Fiche machine n°

6494

Indice C

FRM-007

Indice **C**

Page **1 / 14**

Etiqueteuse

Etiqueteuse d'inviolabilité

Fabricant : MARCHESINI NERI

Modèle : BL 400 VTEXTL

Année : 2011

Numéro de série : N3100095

Dimensions hors-tout (l x p x h) : 2400 x 2200 x 2200 mm

Cadence : max 400 pièces / mn

Capacité mini/maxi :

(20-180) x (15-120) x (70-200) mm

Jet d'encre double-tête Wolke M600

Système de contrôle / agrégation complet Systech – 2 caméras

PLC : Siemens Simatic S7-300

Documentation technique : présente, détails sur demande

Conforme normes CE

Nous consulter pour le transport

Tamper-evident labeler

Manufacturer: MARCHESINI NERI

Model: BL 400 VTEXTL

Year: 2011

Serial number: N3100095

Overall dimensions (l x d x h): 2400 x 2200 x 2200 mm

Speed: max. 400 pieces/min

Minimum/maximum capacity:

(20-180) x (15-120) x (70-200) mm

Double-head Wolke M600 inkjet

Compleat control/aggregation system: Systech – 2 cameras

PLC: Siemens S7-300

Technical documentation: available, details on request

EC standards' compliant

Consult us for shipment


















	NERI SpA Via Del Pian Della Fonda 6 50031 Barberino Di Mugello FIRENZE - ITALY			
	MODELLO	BL400VTEXL		
	MATRICOLA	N3100095		
	TIPO	ETICETTATRICE		
	MASSA	1000		Kg
	ANNO COSTRUZIONE	2011		

	NERI SpA Via Del Pian Della Fonda 6 50031 Barberino Di Mugello FIRENZE - ITALY		SCHEMA N. DRAWING N. N3100095	SCHEMA N. ESQUEMA N.	
	TENSIONE NOMINALE VOLTAGE TENSION ELECTRIQUE TENSION NOMINAL NENNSPANNUNG	X	200 V+	+PE	
	FREQUENZA FREQUENCY FREQUENCE FRECUENCIA FREQUENZ		50	Hz	
	CORRENTE A PIENO CARICO FULL-LOAD CURRENT COURRENT A PLEIN CHARGE CORRIENTE A CARGA MAXIMA STROMAUFNAHME UNTER VOLLAST		7	A	
	VALORE DI INTERRUZIONE MAX TRIP OUT VALUE VALEUR MAX DE INTERRUPTION VALOR MAX DE INTERUPTION MAX UNTERBRECHUNG			kA	
	TENSIONE COMANDI VOLTAGE CONTROLS TENSION DES COMMANDES TENSION MANDOS STEUERUNGSSPANNUNG			24 VDC	



