









-	1ère Edition
REV.	MODIFICATION
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PKB. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PKB IS PROHIBITED.	
	
EKO-ENF-A ENFORCEMENT	





SUPPRESSION TOUTE ET/OU DES REAMPLACES PAR TOUTES	
REF: 8000000000000000	
	
SOUFFLEUR DE POUSSIÈRE	





NOTA:

- Attention au sens de montage
- Montage en sens inverse
- Ouvrir

A Ajout tuyau Ø6 Lg 450mm + raccord rapide


REV. MODIFICATION

PROPRIÉTÉ ET CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PKB. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PKB IS PROHIBITED.

pkb

DOL-VAN-C
VANNE DOSSEUSE EN LIGNE
VALVE




in rotation
24979 and 00275A Ø18

Monter tous les joints
avec de la graisse silicone
sauf 80949A
Mount all the joints
with silicone grease
except 80949A

Ø16

Casser
et graisser
la pointe
Break
and grease
tip



00280
16109
29486
85710
24979
00274-I
00278
30993
85026
85013
00858
13190
13191
13206
00277-I
00275-A
80949A
82716
96074
84236
29971
83874
81430
83123

A Changement d'un collier clamp avec serrage papillon par un avec

REV. MODIFICATION

PROPRIÉTÉ ET CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PKB. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PKB IS PROHIBITED.

pkb


MASSA / WEIGHT
grammes / grams



4435.36

POMPE A VANNE ZQ 250 ml SANS VANNE




Engagement pour l'installation et l'entretien	
pkb POMPE A VANNES 125ML TYPE 2R 125ML (ENTRÉE 405 / COURSE 140) 125ML VALVE PUMP	pkb MADE IN GERMANY 7545 91






K	Mise en plan avec Nomenclature
REV.	MODIFICATION
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED HEREIN IS THE PROPERTY OF PKB AND IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED HEREIN. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PKB.	
 MAISE / WEGART Technik grünwaldstr. 21726 98	
ROBO-VIS-R / VISSEUSE TETE MAGNETIQUE MAGNETIC SCREWING HEAD	



B	MISE A JOUR NOMENCLATURE			ELR	C
REV.	MODIFICATION			PAR	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THE DRAWING IS THE SOLE PROPERTY OF PKB. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PKB IS PROHIBITED.			MASSE / WEIGHT (indicative) gramme/gram	MATIERE / MATERIAL PEHD500	 ECHE
			694.22	TRAITEMENT / TREATMENT NOIR	
GODET REGLAGE NOIR GODET REGLAGE NOIR ADJUSTABLE PUCK			TOLERANCES n/a		DESSINE P LE
			RUGOSITE / ROUGHNESS n/a		25/
			N° PLAN / DRAW N°		

NOMENCLATURE MECANIQUE



REMP LISSEUSE / BOUCHEUSE

Eko 4279